


DAYLIGHT TO EXISTING HABITABLE ROOM WINDOWS

Guidelines for report and consent to vary Building Regulation 81

Legislative Provision 81

Daylight to existing habitable room windows

- (1) A building must be set back from a habitable room window in an existing dwelling on an adjoining allotment to provide for a light court to the window that has a minimum area of 3m^2 and a minimum dimension of 1m clear to the sky.
- (2) The area of the light court required under sub regulation (1) may include land on the adjoining allotment.
- (3) A wall or carport with an average height of more than 3m opposite a habitable room window in an existing dwelling on an adjoining allotment must be set back from that window at least half the height of the wall or carport if the wall or carport is within a 55 degree angle in the horizontal plane about a vertical axis through the centre of the window.
- (4) For the purposes of sub-regulation (3), the angle may be swung to not less than 35 degrees from the plane of the wall containing the window.
- (5) If the window referred to in sub-regulation (3) is above ground floor level, then for the purposes of that sub regulation, the wall or carport height is to be measured from the floor level of the room containing the window.
- (6) The report and consent of the relevant council must be obtained to an application for a building permit in relation to a design that does not comply with this regulation.



Minister's Guidelines

Objective

To allow adequate daylight into habitable room windows.

Decision Guidelines

The reporting authority may give its consent to an application for a building permit for a single dwelling, which does not comply with Regulation 81 of the Building Regulations 2018, if –

- (a) the building will not impact on the amenity of existing dwellings on nearby allotments; and
- (b) the building is consistent with a building envelope that has been approved under a planning scheme or planning permit and or included in an agreement under Section 173 of the Planning and Environment Act 1987.

Information Required

An application to Council for report and consent for Regulation 81 must include:

- An application must be applied for via Council's portal along with payment of the application fee.
- A site plan showing all existing buildings, the location of the proposed work and details of nearby buildings on the adjoining properties (scale 1:200).
- Elevations showing existing and proposed buildings (scale 1:100).
- The location and extent of the noncompliance with the regulations must be clearly shown on the plans and all relevant details and dimensions must be provided.
- A full copy of title including a plan and a copy of any covenants or agreements listed on the title.
- A written submission giving supporting reasons for the dispensation to be granted.
- A response in writing to each of the Minister's Guidelines that are applicable.

BLD0252 - Last Updated – 01/02/2021

293 Springvale Road (PO Box 1) Glen Waverley VIC 3150 **Web** www.monash.vic.gov.au **Email** mail@monash.vic.gov.au

T (03) 9518 3555 **National Relay Service** (for the hearing and speech impaired) 1800 555 660

Language Assist 普通话 9321 5485 Ελληνικά 9321 5482 廣東話 9321 5481 සිංහල 7005 3002 Italiano 9321 5483
Bahasa Indonesia 7005 3001 Việt Ngữ 9321 5487 தமிழ் 7005 3003 ಕನ್ನಡ 9321 5484 हिंदी 7005 3000